
















Figure 6. Sensitivity Analysis



- [7] M. Banko and O. Etzioni, "Strategies for lifelong knowledge extraction from the web," in *Proceedings of the 4th International Conference on Knowledge Capture*, ser. K-CAP '07, 2007, pp. 95–102.
- [8] B. Min, S. Shi, R. Grishman, and C.-Y. Lin, "Ensemble semantics for large-scale unsupervised relation extraction," in *Proceedings of the 2012 Joint Conference on Empirical Methods in Natural Language Processing and Computational Natural Language Learning*. Association for Computational Linguistics, 2012, pp. 1027–1037.
- [9] A. S. Gordon and K. Ganesan, "Automated story capture from conversational speech," in *K-CAP '05: Proceedings of the 3rd international conference on Knowledge capture*, 2005, pp. 145–152.
- [10] A. Gordon, Q. Cao, and R. Swanson, "Automated story capture from internet weblogs," in *Proceedings of the 4th international conference on Knowledge capture*, 2007, pp. 167–168.
- [11] A. Gordon and R. Swanson, "Identifying personal stories in millions of weblog entries," in *Third International Conference on Weblogs and Social Media, Data Challenge Workshop*, 2009.
- [12] (2010) About wordnet. Princeton University. [Online]. Available: <http://wordnet.princeton.edu>
- [13] K. Raghunathan, H. Lee, S. Rangarajan, N. Chambers, M. Surdeanu, D. Jurafsky, and C. Manning, "A multi-pass sieve for coreference resolution," in *Proceedings of the 2010 Conference on Empirical Methods in Natural Language Processing*. Association for Computational Linguistics, 2010, pp. 492–501.
- [14] H. Lee, Y. Peirsman, A. Chang, N. Chambers, M. Surdeanu, and D. Jurafsky, "Stanford's multi-pass sieve coreference resolution system at the conll-2011 shared task," *CoNLL 2011*, p. 28, 2011.
- [15] H. Lee, A. Chang, Y. Peirsman, N. Chambers, M. Surdeanu, and D. Jurafsky, "Deterministic coreference resolution based on entity-centric, precision-ranked rules," *Comput. Linguist.*, vol. 39, no. 4, pp. 885–916, Dec. 2013.
- [16] M. Recasens, M. C. de Marneffe, and C. Potts, "The life and death of discourse entities: Identifying singleton mentions," in *Proceedings of the 2013 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, 2013, pp. 627–633.
- [17] J. D. Choi, "Optimization of natural language processing components for robustness and scalability," Ph.D. dissertation, University of Colorado at Boulder, 2012.
- [18] N. Ide and J. Véronis, "Introduction to the special issue on word sense disambiguation: The state of the art," *Comput. Linguist.*, vol. 24, pp. 2–40, 1998.
- [19] C. Chang and C. Lin, "Libsvm: a library for support vector machines," *ACM Transactions on Intelligent Systems and Technology (TIST)*, vol. 2, no. 3, p. 27, 2011.
- [20] (2013) Matlab statistics and machine learning toolbox. The MathWorks Inc. [Online]. Available: <http://www.mathworks.com/help/stats/classification-trees-and-regression-trees-1.html>
- [21] J. Liu, J. Chen, and J. Ye, "Large-scale sparse logistic regression," in *Proceedings of the 15th ACM SIGKDD international conference on Knowledge discovery and data mining*. ACM, 2009, pp. 547–556.
- [22] J. Liu, S. Ji, and J. Ye. (2009) Slep: Sparse learning with efficient projections. Arizona State University. [Online]. Available: <http://www.public.asu.edu/~jye02/Software/SLEP>
- [23] H. L. Halverson, J. R. Goodall and S. R. Corman, *Master Narratives of Islamist Extremism*. New York: Palgrave Macmillan, 2011.